



FL09



TC09

TVS EUROGRIP

FLOTATION

Dezén	Rozmer	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	TT/TL	LI/SI	Hustenie (PSI)	Max. zaťaženie (kg)							
									nehnaná náprava				hnaná náprava			
									6	16	25	31	6	16	25	31
FL09	385/65-22,5	11,75	423	4052	16	TL	154A8/141A8	58	5250	4465	3750	3375	3605	3065	2575	2320
	400/55-22,5	11,75	423	1042	16	TL	152A8/140A8	58	4970	4225	3550	3195	3500	2975	2500	2250
	500/60-22,5	16,00	505	1200	16	TL	163A8/151A8	46	6825	5800	4875	4390	4830	4105	3450	3105
	550/45-22,5	16,00	550	1055	16	TL	159A8/147A8	41	6125	5205	4375	3940	4305	3660	3075	2770
	550/60-22,5	16,00	550	1250	16	TL	167A8/154A8	41	7630	6485	5450	4905	5250	4465	3750	3375
	600/50-22,5	20,00	618	1170	16	TL	165A8/153A8	38	7210	6130	5150	4635	5110	4345	3650	3285
	700/40-22,5	24,00	702	1158	16	TL	166A8/154A8	33	7420	6305	5300	4770	5250	4465	3750	3375
TC09	600/40-22,5 (23,5/40-22,5)	20,00DC	600	1120	-	TL	169A8/-	87	8120	6500	5800	5220	-	-	-	-



TR18

TRAKTOROVÉ ZADNÉ PNEU

Dezén	Rozmer	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	TT/TL	Max. zaťaženie (30 km/h)	Hustenie (PSI)	LI
TR18	8.18	W7	196	845	4	TT	515	23	85A6

**IM108****IM45****IM54****IM72****IM99****TS09S**

IMPLEMENT - MIX POUŽITIE

Dezén	Rozmer	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	TT/TL	PSI	Max. zaťaženie (kg)									
								10 km/h		20 km/h		25 km/h		30 km/h		40 km/h	
								nehnaná	hnaná	nehnaná	hnaná	nehnaná	hnaná	nehnaná	hnaná	nehnaná	hnaná
IM108	6,50-16	4,50E	175	742	8	TT	54	1195	840	1055	740	990	695	925	650	835	585
IM45	11,0/65-12	9,00	260	700	8	TL	42	1520	1065	1345	940	1265	885	1180	825	1060	745
	4,00-8	3,00D	106	415	2	TT	21	200	140	175	125	165	115	155	109	140	100
	5,00-12	3,50D	139	580	4	TT	32	485	340	425	300	400	285	375	265	340	240
	5,00-15	3,50D	133	655	6	TT	50	720	500	640	440	600	415	560	387	505	350
	6,00-16	4,00E	170	735	6	TT	40	890	630	785	555	740	520	690	487	620	440
	7,00-12	4,25	196	690	6	TL	36	890	630	785	555	740	520	690	487	620	440
	7,50-20	5,50	215	910	8	TT	49	1615	1130	1425	995	1340	935	1250	875	1125	790
9,5-20	8,00	245	955	6	TT	30	1065	740	940	655	885	615	825	575	745	520	
IM54	5,00-10	4,00	130	510	4	TT	32	350	245	310	215	290	205	272	190	245	170
	7,50-16	5,50F	200	775	8	TT	47	1445	1000	1275	885	1200	830	1120	775	1010	700
IM72	8,25-16	6,00F	232	825	8	TL	45	1615	1130	1425	995	1340	935	1250	875	1125	790
	400/60-15,5	13,00	405	865	14	TL	50	3515	2450	3105	2165	2915	2035	2725	1900	2455	1710
IM99	400/60-15,5	13,00	405	865	22	TL	80	4710	3195	4160	2820	3905	2650	3650	2475	3285	2230
	500/50-17	16,00	480	925	18	TL	46	4840	3320	4275	2935	4015	2755	3750	2575	3375	2320
IM99	6,50/80-15	2,40	165	655	4	TT	34	775	550	685	485	640	455	600	425	540	385
TS09S	10,0/75-15,3(255/75-15,3)	9,00	272	785	10	TL	56	2000	1405	1765	1245	1660	1165	1550	1090	1395	980

**MT45****MT63T**

VIACÚČELOVÉ PNEU (MPT)

Dezén	Rozmer	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	TT/TL	PSI	Max. zaťaženie (kg)									
								10 km/h		20 km/h		25 km/h		30 km/h		40 km/h	
								nehnaná	hnaná	nehnaná	hnaná	nehnaná	hnaná	nehnaná	hnaná	nehnaná	hnaná
MT45	12,5/80-18	9,00	315	990	14	TL	62	3870	2735	3420	2415	3210	2270	300	2120	2700	1910
MT63T	10,0/75-15,3	9,00	275	795	10	TL	56	2000	1405	1765	1245	1660	1165	1550	1090	1395	980
	11,5/80-15,3	9,00	312	875	14	TL	69	3135	2195	2770	1940	2600	1820	2430	1700	2185	1530

**IM09****IM117****IM126****IM18****IM36**

IMPLEMENT

Dezén	Rozmer	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	TT/TL	Max. zaťaženie (kg)							
							nehnaná náprava				hnaná náprava			
							30 km/h kg/PSI		40 km/h kg/PSI		30 km/h kg/PSI		40 km/h kg/PSI	
IM09	24x8,00-14,5(200/60-14,5)	6,75	210	645	14	TL	1150	101	1030	101	1380	121	1240	121
IM117	10,0/80-12	9,00	250	710	10	TL	1400	56	1285	56	1680	68	1510	68
	11,5/80-15,3	9,00	295	842	14	TL	2430	69	2180	69	2900	82	2430	82
	11,5/80-15,3	9,00	295	842	16	TL	2575	78	2300	78	3075	94	2575	94
	11,5/80-15,3	9,00	295	842	18	TL	2725	88	2500	88	3250	106	2900	106
IM126	400/60-15,5	13,00	404	855	14	TL	2725	50	2430	50	3250	60	2725	60
	400/60-15,5	13,00	404	855	16	TL	3250	65	2900	65	3875	78	3450	78
	500/50-17(19,5/50-17)	16,00	515	950	18	TL	3750	52	3350	52	4500	62	4125	62
IM18	10,5/65-16	W9	257	775	14	TT	1900	76	1700	76	2280	92	2050	92
IM36	15,0/55-17	13,00	395	838	14	TL	2575	53	2300	53	3090	63	2780	63
	15,0/55-17(385/55-17)	13,00	395	838	18	TL	3000	71	2725	71	3600	85	3240	85
	15,0/70-18	W13	400	985	14	TL	3150	52	2800	52	3750	62	3150	62
	16,0/70-20	13,00	422	1080	16	TL	4000	58	3550	58	4750	69	4375	69
	500/50-17	16,00	503	925	18	TL	3750	52	3350	52	4500	62	4125	62

ZÁHRADNÉ PNEU

**LG18****PT18**

Dezén	Rozmer	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	TT/TL	Max. zaťaženie (kg)	Hustenie (PSI)	LI
							(15 km/h)		
LG18	23x10,50-12	8,50	262	575	6	TL	800	32	-
	23x10,50-12	8,50	256	571	8	TL	955	43	-
	23x8,50-12	7,00	215	574	8	TL	765	43	-
PT18	6,00-12	4,00E	160	627	4	TT	325	29	69A6

**HF18****IT30****IT45****MT54****MT63****MT63T****MT72****ST30****ST45****TG09**

INDUSTRIAL PNEU

Dezén	Rozmer	TT/TL	Šírka disku (mm)	Celková šírka pneu (mm)	Celkový priemer pneu (mm)	PR	Max. zaťaženie (kg)		Hustenie (PSI)
							8-10 km/h	20-25 km/h	
HF18	31x15,50-15	TL	13,00LB	374	774	8	1900/1900	1620/1620	44
IT30	10,00-20	TT	7,50	290	1070	20	6915	5320	145
	16x6-8	TT	4,33	155	420	18	1535	1180	152
	23x9-10	TT	7,00	230	585	20	3445	2650	145
	27x10-12	TT	8,00	260	695	20	4615	3550	145
	7,00-12	TT	5,00S	200	675	16	2910	2240	145
	8,25-15	TT	6,50	250	835	16	4615	3350	134
IT45	5,00-8	TT	3,00D	135	470	10	1415	1090	145
	6,00-9	TT	4,00E	155	535	10	1715	1320	123
	6,00-9	TT	4,00E	155	535	12	1885	1450	145
	6,50-10	TT	5,00F	185	600	14	2340	1800	145
	7,00-12	TT	5,00S	195	685	14	2755	2120	131
MT54	10,00-20	TT	7,50	280	1050	16	5400	4500	109
	12,5-20	TL	11,00	330	995	12	3510	2925	51
	14,5-20	TL	11,00	355	1095	14	4375	3645	51
	405/70-20	TL	13,00	405	1090	14	5220	4350	51
	405/70-24	TL	13,00	415	1190	14	5670	4725	51
MT63	405/70-20	TL	13,00	410	1085	14	5220	4350	51
MT63L	18-19,5	TL	14,00	465	1100	16	8100	6750	87
MT72	405/70-20	TL	13,00	407	1080	14	5220	4350	51
	405/70-24	TL	13,00	420	1200	14	5670	4725	51
ST30	31x15,5-15	TL	13,00	390	810	10	2500	1825	61
ST45	10-16,5	TL	8,25	275	770	10	2135	1559	74
	12-16,5	TL	9,75	315	840	10	2540	1854	65
TG09	14,00-24	TT	8,00TG (SDC)	385	1340	16	3650		54

